ELSEVIER

Toxicology 94 (1994) 255–257

TOXICOLOGY

Volume contents

Volume 94 (1994)

Publisher's Announcement ..... v–vi

Obituary 1–2

Toxicity of bromodichloromethane in female rats and mice after repeated oral dosing (**BDCM is hepatotoxic and nephrotoxic in female rats after repeated dosing but only weakly hepatotoxic in female mice**)
J.R. Thornton-Manning, J.C. Seely, R.A. Pegram (Research Triangle Park, NC) 3–18

Thyroxine normalizes polychlorinated biphenyl (PCB) dose-related depression of choline acetyltransferase (ChAT) activity in hippocampus and basal forebrain of 15-day-old rats (**Hypothyroidism may partially account for decreased choline acetyltransferase activity in PCB exposed rats**)
L.M. Juárez de Ku, M. Sharma-Stokkermans, L.A. Meserve (Bowling Green, OH) .. 19–30

Adrenal activation of carbon tetrachloride: role of microsomal P450 isozymes (**Adrenal CCl_4 is catalyzed by the 52K P450 isozyme rather than by steroid hydroxylases**)
H.D. Colby, H. Purcell, S. Kominami, S. Takemori, D.C. Kossor (Philadelphia, PA; Higashi-Hiroshima, Japan) 31–40

Thiabendazole (TBZ) nephrotoxicity and recovery in ICR adult mice (**Kidney lesions were more severe and lasted longer than did liver damage**)
Y. Tada, T. Fujitani, M. Yoneyama (Tokyo, Japan) 41–55

p-Dichlorobenzene-induced hepatotoxicity in mice depleted of glutathione by treatment with buthionine sulfoximine (**In glutathione-deficient mice, hepatotoxicity appears to be a result of inadequate detoxification rates of *p*-dichlorobenzene metabolites**)
T. Mizutani, Y. Nakahori, K.-i. Yamamoto (Kyoto, Japan) 57–67

Nicotine- or epinephrine-induced uteroplacental vasoconstriction and fetal growth in the rat (**Considerable reduction in blood flow during late pregnancy does not affect fetal birth weight**)
S.C. Birnbaum, N. Kien, R.W. Martucci, T.R. Gelzleichter, H. Witschi, A.G. Hendrickx, J.A. Last (Davis, CA) 69–80

Ketoconazole-induced hepatic phospholipidosis in the mouse and its association with de-*N*-acetyl ketoconazole (**A major hepatic metabolite of ketoconazole may be responsible for induction of phospholipidosis**)
L.W. Whitehouse, A. Menzies, R. Mueller, R. Pontefract (Tunney's Pasture, Ottawa) 81–95

Renal cell type specificity of cephalosporin-induced cytotoxicity in suspensions of isolated proximal tubular and distal tubular cells (**Mechanisms involved in cephalosporin-induced**

nephrotoxicity are oxidative stress, cytochrome P450 bioactivation and mitochondrial dysfunction)
L.H. Lash, J.J. Tokarz, E.B. Woods (Detroit, MI) 97–118

Induction by melittin of protein phosphorylation in bovine mammary gland and suppression of the phosphorylation by phosphatidylserine (**In bovine mammary gland melitin can both suppress and stimulate protein phosphorylation)**
N. Katoh (Sapporo, Japan) 119–129

Demethylation and placental transfer of methyl mercury in the pregnant hamster (**Toxicokinetic data on the distribution of mercury into fetal tissues are described)**
L. Dock, R.-L. Rissanen, M. Vahter (Stockholm, Sweden) 131–142

Stressor-specific induction of heat shock proteins in rat hepatoma cells (**Several different stressors produce different patterns of heat shock proteins and therefore prevent their use as simple general stress markers)**
F.A.C. Wiegant, J.E.M. Souren, J. van Rijn, R. van Wijk (Utrecht and Amsterdam, The Netherlands) 143–159

Cadmium-induced alteration of glycosaminoglycans with an enhancement of heparin-like activity in cultured vascular endothelial cells (**Vascular endothelial cells may increase surface anticoagulant activity via induction of heparan sulfate synthesis)**
T. Kaji, S. Ohkawara, C. Yamamoto, M. Sakamoto, H. Kozuka (Kanazawa and Toyama, Japan) 161–171

Mixtures of benomyl, pirimiphos-methyl, dimethoate, diazinon and azinphos-methyl affect protein synthesis in HL-60 cells differently (**There are time-dependent inhibitory combination effects on leucine incorporation)**
M. Marinovich, M. Guizzetti, C.L. Galli (Milan, Italy) 173–185

Pharmacodynamic and metabolic interactions between ethanol and two industrial solvents (methyl *n*-butyl ketone and methyl isobutyl ketone) and their principal metabolites in mice (**Methyl *n*-butyl ketone ant its metabolite reduce ethanol elimination rates, whereas methyl isobutyl ketone and its two principal metabolites do not)**
M. Sharkawi, C. Granvil, A. Faci, G.L. Plaa (Montréal, Québec) 187–195

Reduction of thyroxine uptake into cerebrospinal fluid and rat brain by hexachlorobenzene and pentachlorophenol (**Both chlorinated compounds reduce thyroxine uptake to roughly about half of the control value)**
J.A.G.M. van Raaij, C.M.G. Frijters, L. Wong Yen Kong, K.J. van den Berg, W.R.F. Notten (Rotterdam and Rijswijk, The Netherlands) 197–208

Role of metabolism in monocrotaline-induced immunotoxicity in C57BL/6 mice (**Unmetabolized monocrotaline may have immunotoxic effects in vivo)**
J.A. Deyo, R.L. Reed, D.R. Buhler, N.I. Kerkvliet (Corvallis, OR) 209–222

Immunotoxicology

Impaired host resistance to *Trichinella spiralis* as a consequence of prenatal treatment of rats with diazepam (**Prenatal exposure to 1.25 mg/kg/day diazepam from gestational day 14 to 20 results in impaired resistance to *Trichinella spiralis* infection in adult rats)**
M. Schlumpf, W. Lichtensteiger, H. van Loveren (Zürich, Switzerland; Bilthoven, The Netherlands) 223–230

Immune parameters are affected differently after cyclosporine A exposure in Fischer 344 rats and B6C3F1 mice: implications for immunotoxicology (**Natural killer cell activity of Fischer 344 rats is less sensitive to cyclosporin-A treatment than that of B6C3F1 mice whereas cytotoxic T-lymphocyte activity and mixed lymphocyte response were inhibited in rats but not in mice)**
C. Blot, H. Lebrec, R. Roger, R. Bohuon, M. Pallardy (Châtenay-Malabry and Villejuif, France) 231–245

Book review 247
Contents of Journals Relating to Toxicology 248–249
Author index 250
Subject index 251–254
Volume contents 255–257